

according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.05.2024 Version number 27 (replaces version 26) Revision: 27.02.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Tank Cure Component A Sealant

· Article number: P345-00000

· UFI: PPT0-W0TK-400C-F01X

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

· Sector of Use SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

SU22 Professional uses: Public domain (administration, education, entertainment,

services, craftsmen)

SU19 Building and construction work

Product category
 Process category
 PC9a Coatings and paints, thinners, paint removers
 PROC19 Manual activities involving hand contact

PROC10 Roller application or brushing

· Environmental release category ERC5 Use at industrial site leading to inclusion into/onto article

ERC8c Widespread use leading to inclusion into/onto article (indoor) ERC8f Widespread use leading to inclusion into/onto article (outdoor)

· Article category AC13 Plastic articles

· Application of the substance / the

mixture

See our technical datasheet for application details of this product.

Epoxy resin

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Poly-Service BV, Hoogeveenenweg 83, NL 2913 LV Nieuwerkerk a/d IJssel

Tel: +31 180 314777, Fax: +31 180 317847

E-mail: info@polyservice.nl

· Further information obtainable

from:

Research and Development.


· 1.4 Emergency telephone

number: Poly-Service BV, Tel: +31 180 314777, E-mail: info@polyservice.nl

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008



Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

· 2.2 Label elements

· Labelling according to Regulation

(EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms

GHS07 GHS09

· Signal word Warning

· Hazard-determining components of

labelling: reaction product: bisphenol-F-(epichlorhydrin) epoxy resin (number average molecular

weight ≤ 700)

· Hazard statements H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.
 P261 Avoid breathing mist/vapours/spray.
 P264 Wash thoroughly after handling.
 P273 Avoid release to the environment.

P280 Wear protective gloves.

P302+P352 IF ON SKIN: Wash with plenty of water.

P362+P364 Take off contaminated clothing and wash it before reuse. P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

(Contd. on page 2)



according to Regulation (EC) No 1907/2006, Article 31

Version number 27 (replaces version 26) Revision: 27.02.2024 Printing date 24.05.2024

Trade name: Tank Cure Component A Sealant

(Contd. of page 1)

P501

Dispose of contents/container in accordance with local/regional/national/ international regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

This product does not contain any substances assessed as PBT at concentrations of

0.1% or higher.

· vPvB: This product does not contain any substances assessed as vPvB at concentrations of

0.1% or higher.

· Determination of endocrinedisrupting properties

Toxicological information (1107/2009 - 3.6.5): The substance/mixture does not contain any components believed to have endocrine disrupting properties according to REACH article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at level 0.1% or higher.

Ecological information (1107/2009 - 3.8.2): The substance/mixture does not contain components believed to have endocrine-disrupting properties according to REACH article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at level 0.1% or higher.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

	· Dangerous components:		
ſ	CAS: 9003-36-5	reaction product: bisphenol-F-(epichlorhydrin) epoxy resin (number average	50 – 100%
-		molecular weight ≤ 700)	
	Reg.nr.: 01-2119454392-40	♦ Aquatic Chronic 2, H411; ♦ Skin Irrit. 2, H315; Skin Sens. 1, H317, EUH205	
ſ	CAS: 100-51-6	Benzyl alcohol	3 – 10%
-	EINECS: 202-859-9	Acute Tox. 4, H302; Acute Tox. 4, H332; Eye Irrit. 2, H319	
-	Index number: 603-057-00-5		
	Reg.nr.: 01-2119492630-38		
-	Additional information.	For the wording of the listed beyond phreses refer to coetien 16	

For the wording of the listed hazard phrases refer to section 16. Additional information:

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

· After inhalation: Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact: Immediately wash with water and soap and rinse thoroughly. · After eye contact: Rinse opened eye for several minutes under running water.

· After swallowing: If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and

delayed No further relevant information available. 4.3 Indication of any immediate

medical attention and special

treatment needed No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents:

Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from

the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

Carbon monoxide (CO)

· 5.3 Advice for firefighters

· Protective equipment: No special measures required.

· Additional information Dispose of fire debris and contaminated fire fighting water in accordance with official

regulations.

Collect contaminated fire fighting water separately. It must not enter the sewage

system.

(Contd. on page 3)



according to Regulation (EC) No 1907/2006, Article 31

Version number 27 (replaces version 26) Revision: 27.02.2024 Printing date 24.05.2024

Trade name: Tank Cure Component A Sealant

(Contd. of page 2)

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Not required.

6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders,

sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe

Ensure good ventilation/exhaustion at the workplace. handling

Not required.

Prevent formation of aerosols.

· Information about fire - and

explosion protection: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by

storerooms and receptacles: Store material in original, tightly closed containers in a cool, well-ventilated area in

accordance with applicable (local) regulations. Depending on total volume stored, the

storage area should comply with PGS15.

· Information about storage in one

common storage facility:

· Further information about storage

conditions: · Recommended storage

temperature:

· 7.3 Specific end use(s) No further relevant information available.

None.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the

The product does not contain any relevant quantities of materials with critical values that workplace:

have to be monitored at the workplace.

· DNEL (De	· DNEL (Derived No Effect Level) for workers					
9003-36-5	9003-36-5 reaction product: bisphenol-F-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700)					
Dermal	Acute - local effects,worker 8.3 µg/cm² (Worker)					
	Long-term - systemic effects, worker	104.15 mg/kg bw/day (Worker)				
Inhalative	Long-term - systemic effects, worker	29.39 mg/m³ (Worker)				
100-51-6 I	Benzyl alcohol					
Dermal	Long-term - systemic effects, worker	8 mg/kg bw/day (Worker)				
Inhalative	ive Long-term - systemic effects, worker 22 mg/m³ (Worker)					
· DNEL (De	· DNEL (Derived No Effect Level) for the general population					
9003-36-5	9003-36-5 reaction product: bisphenol-F-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700)					
Oral	Long-term - systemic effects, general	population 6.25 mg/kg bw/day (General population)				
Dermal	Long-term - systemic effects, general	l population 62.5 mg/kg bw/day (General population)				
Inhalative	Long-term - systemic effects, general	l population 8.7 mg/m³ (General population)				
100-51-6 I	100-51-6 Benzyl alcohol					
Oral	Long-term - systemic effects, general	population 4 mg/kg bw/day (General population)				
		(Contd. on page 4)				



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Version number 27 (replaces version 26) Revision: 27.02.2024 Printing date 24.05.2024

Trade name: Tank Cure Component A Sealant

		(Contd. of page 3)
Dermal	Long-term - systemic effects, general population 4 mg/kg bw/day (General population)	
Inhalative	Long-term - systemic effects, general population 5.4 mg/m³ (General population)	

Inhalative Long-term - systemic effects, general population 5.4 mg/m³ (General population)					
· PNEC (Predicted No Effect Concentration) values					
9003-36-5 reaction product: bisphenol-F-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700)					
Aquatic compartment - freshwater	0.003 mg/l (Freshwater)				
Aquatic compartment - marine water	0.0003 mg/l (Marine water)				
Aquatic compartment - water, intermittent releases	0.0254 mg/l (Intermittent release water)				
Aquatic compartment - sediment in freshwater	0.294 mg/kg sed dw (Sediment freshwater)				
Aquatic compartment - sediment in marine water	0.0294 mg/kg sed dw (Sediment marine water)				
Terrestrial compartment - soil	0.237 mg/kg dw (Soil)				
Sewage treatment plant	10 mg/l (stp)				

100-51-6 Benzyl alcohol

Aquatic compartment - freshwater 1 mg/l (Freshwater) Aquatic compartment - marine water 0.1 mg/l (Marine water)

Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

· Appropriate engineering controls No further data: see section 7. · Individual protection measures, such as personal protective equipment

General protective and hygienic

measures: Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

· Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of

intensive or longer exposure use self-contained respiratory protective device.

· Hand protection Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/

the preparation.

Due to missing tests no recommendation to the glove material can be given for the

product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of

diffusion and the degradation

· Material of gloves Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Recommended thickness of the material: $\geq 0.3 \text{ mm}$

· Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective

gloves and has to be observed.

For the mixture of chemicals mentioned below the penetration time has to be at least

480 minutes (Permeation according to EN 16523-1:2015: Level 6).

· For the permanent contact gloves made of the following materials are

suitable: Nitrile rubber, NBR

As protection from splashes gloves made of the following materials are

Not suitable are gloves made of

the following materials:

Leather gloves

Nitrile rubber, NBR

Strong material gloves

Goggles recommended during refilling Eye/face protection

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Fluid · Colour: Colourless Characteristic · Odour:

(Contd. on page 5)



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.05.2024 Version number 27 (replaces version 26) Revision: 27.02.2024

Trade name: Tank Cure Component A Sealant

(Contd. of page 4)

		(Contd. of page 4)
· Odour threshold:	Not determined.	
· Melting point/freezing point:	Undetermined.	
Boiling point or initial boiling point and boiling range	Undetermined.	
· Flammability	Not applicable.	
· Lower and upper explosion limit	11	
· Lower:	Not determined.	
· Upper:	Not determined.	
· Flash point:	194 °C (Pensky Martens, ASTM D93)	
· Decomposition temperature:	Not determined.	
· pH at 20 °C	7	
· Viscosity:		
· Kinematic viscosity	Not determined.	
· Dynamic at 20 °C:	450 mPas (Brookfield, ASTM D1544)	
· Solubility		
· water:	Not miscible or difficult to mix.	
· Partition coefficient n-octanol/water (log value)	Not determined.	
· Vapour pressure:	Not determined.	
Density and/or relative density		
· Density at 20 °C:	1.2 g/cm³ (DIN 51757, ASTM D 1298)	
· Relative density	Not determined.	
· Vapour density	Not determined.	
9.2 Other information		
- Appearance:		
· Form:	Fluid	
Important information on protection of health and	i idid	
environment, and on safety.		
Ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Solvent content:	1 Toddet does not present an explosion hazard.	
· Organic solvents:	5.5 %	
· VOC:	0.0 70	
· VOC (2004/42/EC):	5.51 %	
· Change in condition	0.01 70	
· Evaporation rate	Not determined.	
·	The determined.	
Information with regard to physical hazard classes		
· Explosives	Void	
Flammable gases	Void	
· Aerosols	Void	
· Oxidising gases	Void	
· Gases under pressure	Void	
· Flammable liquids	Void	
· Flammable solids	Void	
· Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Substances and mixtures	Void	
· Substances and mixtures, which emit flammable gases i		
contact with water	Void	
· Oxidising liquids	Void	
· Oxidising solids	Void	
Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

· Thermal decomposition /

conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous

reactions No dangerous reactions known.

• 10.4 Conditions to avoid
• 10.5 Incompatible materials:

No further relevant information available.

No further relevant information available.

(Contd. on page 6)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.05.2024 Version number 27 (replaces version 26) Revision: 27.02.2024

Trade name: Tank Cure Component A Sealant

(Contd. of page 5)

· 10.6 Hazardous decomposition

products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

ſ	· Compor	nents	Туре	Value	Species						
ſ	ATE (A	cute To	oxicity Estimates)								
	Oral	LD50	25,102 mg/kg (Rat)								

	6-5 reaction product: bisphenol-F-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700)
Oral	LD50 23,800 mg/kg (Rat)
Dermal	LD50 > 2,000 mg/kg (rabbit)
100-51-	6 Benzyl alcohol
Oral	LD50 1,230 mg/kg (Rat)
Dermal	LD50 2,000 mg/kg (rabbit)

Skin corrosion/irritation Causes skin irritation.

· Serious eye damage/irritation Based on available data, the classification criteria are not met. · Respiratory or skin sensitisation May cause an allergic skin reaction. · Germ cell mutagenicity Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met. · Reproductive toxicity · STOT-single exposure Based on available data, the classification criteria are not met. · STOT-repeated exposure Based on available data, the classification criteria are not met. · Aspiration hazard Based on available data, the classification criteria are not met.

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity: No further relevant information available.

Type of test Effective concentration Method Assessment

ATE (Acute Toxicity Estimates)

Inhalative | LC50/4 h | 224 mg/l

12.2 Persistence and

degradability
12.3 Bioaccumulative potential
12.4 Mobility in soil
No further relevant information available.
No further relevant information available.
No further relevant information available.

12.5 Results of PBT and vPvB assessment
 PBT: Not applicable.
 vPvB: Not applicable.

· 12.6 Endocrine disrupting

propertiesThe product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

· Remark: Toxic for fish

 $\cdot \ \text{Additional ecological information:} \\$

· General notes: Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation Must not be disposed together with household garbage. Do not allow product to reach

sewage system.

(Contd. on page 7)



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.05.2024 Version number 27 (replaces version 26) Revision: 27.02.2024

Trade name: Tank Cure Component A Sealant

(Contd. of page 6)

· European	waste catalogue	
08 00 00	08 00 00 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS	
08 01 00	wastes from MFSU and removal of paint and varnish	
08 01 11*	waste paint and varnish containing organic solvents or other hazardous substances	
HP4	Irritant - skin irritation and eye damage	
HP13	Sensitising	
HP14	Ecotoxic	

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information	
· 14.1 UN number or ID number · ADR/RID/ADN, IMDG, IATA	UN1760
· 14.2 UN proper shipping name · ADR/RID/ADN	1760 CORROSIVE LIQUID, N.O.S., ENVIRONMENTALLY HAZARDOUS
·IMDG	CORROSIVE LIQUID, N.O.S. (bis[4-(2,3-epoxypropoxy)phenyl] propane, 1,3-propanediol, 2-ethyl-2-(hydroxymethyl)-, polymer with 2-
·IATA	(chloromethyl)oxirane), MARINE POLLUTANT CORROSIVE LIQUID, N.O.S.
· 14.3 Transport hazard class(es)	
· ADR/RID/ADN · Class · Label	8 (C9) Corrosive substances.
· IMDG, IATA · Class · Label	8 Corrosive substances.
· 14.4 Packing group · ADR/RID/ADN, IMDG, IATA	III
· 14.5 Environmental hazards:	Product contains environmentally hazardous substances: bis[4-(2,3-
· Marine pollutant:	epoxypropoxy)phenyl]propane Yes
· Special marking (ADR/RID/ADN):	Symbol (fish and tree) Symbol (fish and tree)
14.6 Special precautions for user Hazard identification number (Kemler code):	Warning: Corrosive substances. 80
· EMS Number:	F-A,S-B
· Stowage Category · Stowage Code	A SW2 Clear of living quarters.
· 14.7 Maritime transport in bulk according to IMC instruments	
· Transport/Additional information:	тот оррановите.
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· Transport category · Tunnel restriction code	3 E
· IMDG · Limited quantities (LQ)	5L



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.05.2024 Version number 27 (replaces version 26) Revision: 27.02.2024

Trade name: Tank Cure Component A Sealant

(Contd. of page 7)

· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1760 CORROSIVE LIQUID, N.O.S. 8, III, ENVIRONMENTALLY HAZARDOUS

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances -

ANNEX I None of the ingredients is listed.

· Seveso category E2 Hazardous to the Aquatic Environment

· Qualifying quantity (tonnes) for the

application of lower-tier

requirements 200 t

· Qualifying quantity (tonnes) for the

application of upper-tier

requirements 500 t

REGULATION (EC) No 1907/2006

ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment

Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· National regulations:

· Technical instructions (air):

Class	Share in %
NK	5.5

· 15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H411 Toxic to aquatic life with long lasting effects.

EUH205 Contains epoxy constituents. May produce an allergic reaction.

· Classification according to Regulation (EC) No 1272/2008

Skin corrosion/irritation

Skin sensitisation

The classification of the mixture is generally based on the calculation method using substance data according to

Hazardous to the aquatic environment - long-term (chronic) aquatic hazard

Regulation (EC) No 1272/2008.

· Department issuing SDS: Research and Development

· Contact: G. Lok (tel +31 0180 314777, e-mail info@polyservice.nl)

(Contd. on page 9)

(Contd. of page 8)



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 24.05.2024 Version number 27 (replaces version 26) Revision: 27.02.2024

Trade name: Tank Cure Component A Sealant

31.01.2022 · Date of previous version:

· Version number of previous

version:

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer

(Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values
Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

· Sources: Literature data and/or investigation reports are available through the manufacturer.

* Data compared to the previous

version altered.

EU —